破壊防止パーソナルコインロック









C-289-SP


BREAK-PROOF PERSONAL COIN LOCK



フリーザー


金具





15.8

(22)



パネル穴明け寸法


Panel drilling dimensions

16

δ 19.5

止め金(兼用型)

止め金回転角度90° Stopper plate turning angle 30 φ 22 10 17.4 (37.4)



●: RoHS指令対応品 ▲: RoHS指令に対応可能です。お問合せ下さい。 ※箱単位はご相談下さい。

徴 Feature

- 内筒ヘッドはニッケルクロムモリブデン鋼 (SNCM630) を 使い、焼き入れ処理をしています。
- ねじり破壊防止空転リングを装着
- スムーズなリバーシブルキー構造
- 鍵は施錠時のみ抜けるので施錠忘れがありません。
- Inner cylinder head uses tempered nickel chrome molybdenum steel (SNCM 630)
- Fitted with an idle ring to prevent destruction by forcing.
- Smooth reversible-key construction
- Key can be removed only when lock is engaged, thus preventing failure to lock.
- 仕 様 ★オ 質:本体/快削黄銅棒(C3602BD) 内筒ヘッド/ニッケルクロムモリブデン鋼(SNCM630) キー/黄銅板(C3713P)
 - 表面処理:本体/クロムめっき(MBCr) キー/ニッケルめっき(MBNi)
 - 鍵違いのみ。(同一番号の設定はありません。)
 - ●最大鍵違い数:2万8000通り
 - ●付属品:キ-2本・止め金
- 用 途 ● 自動販売機・アミューズメント機器・計測器・ レジスター
- 納備 期老 ●標準品・・・即納します
 - マスターシステムの組込みが可能です。お問 合せ下さい。

Specifi
cations

- Material: Material: Main unit: Machined brass rod (C3602BD) Inner cylinder head: Nickel chrome molybdenum (SNCM630) Key: Sheet brass (C3713P)
- Surface processing: Main unit: Chrome plating (MBCr) Key: Nickel plating (MBNi)
- Key differences only available (Keyed alike setting not available.)
- Maximum number of key differences: 28,000
- Accessories: 2 keys, stopper plate
- Vending machines, amusement equipment, Specific use measuring equipment, cash registers Remarks • Can be incorporated into a master
 - system. Please inquire.