金具

COIN LOCKS MINIMUM







+-No.T750 Kev

徴 Feature

- ●他に類をみない超小型錠前です。機能は従来品と変りません。
- ●止め金をセットしたままで、取付けが可能です。
- It's a very small type but its function is same as current locks.
- Can be installed while the stopper plate is set in the main body.


样 材

什

質:本体/快削黄銅棒(C3602BD) キー/冷間圧延鋼板(SPCC) 快削鋼鋼材(SUM)

●表面仕上:本体/クロムめっき(MBCr) キー/クロムめっき(MFCr)

用納 途期 ● 自動販売機・小型防犯装置・スイッチボックス ●標準品・・・ 即納します






- 止め金は縦型・横型があります。 (標準品は縦型がセットされています)
- キー抜差しは2ヵ所抜きも製作致します。
- キースイッチS-32と組合せて使用できます。 ●4本ピンタイプのA型と7本ピンタイプのB型が
- あります。外形寸法は同一です。 ● 一部商品番号が変りました。 C-88-9→C-88-8A/C-88-8→C-88-8B
- 同一鍵番号・指定番号も製作致します。 錠前に無理な力が掛かると破損の原因となります。
- ・ 施解錠時は用錠前の構造上、鍵(キー)を押しながら同して下さい。

Specifications

- Material: Main body: Free cutting brass bar (C3602BD) Key: Cold rolled steel plate (SPCC) Free cutting steel (SUM)
- Finish: Main body: Chrome plating (MBCr) Key: Chrome plating (MFCr)
- Vending machines, small burglarproof systems and switch boxes Specific use Remarks
 - Stopper plate is a vertical or horizontal type. (standard is vertical type and it has already been installed)
 - Use the key switch S-32 together.
 - The 4-pc pin type A and the 7-pc pin type B are available but external dimensions are same each other
 - Applying excessive stress to lock may cause break. Due to the structure of the lock, the key must be
 - pushed in as it is turned in order to release the lock.

10	止め金 回転角度90° Stopper plate turning angle
52	4 10 (WIS)
右回転 Clockwise	(18.5)





商品番号 Product No.	RoHS	CAD		最大鍵違い数 No. of max. key difference		単 価 Price	箱入数 Quantity per box
C-88-8A 同番(J85) keyed alike	•		25	500	20350	¥590	100
C-88-8A 鍵違い key differences	<u> </u>				20351	¥690	100
C-88-8B 同番(T750) keyed alike	_			17,000	20348	¥610	100
C-88-8B 鍵違い key differences	•	•			20349	¥710	100

- RoHS指令対応品
- ▲ : RoHS指令に対応可能です。お問合せ下さい。
 - ※箱単位はご相談下さい。